





PROPRIETARY NOTICE:
The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.
Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Designeintragung vorbehalten.

LET. / IND.	REVISION	DRN. BY / GEZ. VON	DATE / DATUM
AA-00	INITIAL RELEASE	Norbert Kadlecik	19/06/2026



Tolerances for Preferentially use
DO NOT USE TITLEBLOCK DECLARATIONS



General Positiontolerances
(unless otherwise specified on drawing)

for Clearance Holes, Slots and Threads = $\pm 0,2$ mm
for Fit Holes, Slots = $\pm 0,02$ mm

General Tolerances ISO 22081
(for undefined surfaces)


Linear Dimensions: see Table 1
Angular Dimensions: see Table 1

permanent marking
with ITEM NUMBER
max. font size 3mm
XXXXXXXXXX

Table 1 Dimensions in mm							
General Tolerances (Based on DIN ISO 2768-mK) (unless otherwise specified on drawing)							
Dimensions	over 0,5 to 3	over 3 to 6	over 6 to 30	over 30 to 120	over 120 to 400	over 400 to 1000	over 1000 to 2000
Tolerances	$\pm 0,1$	$\pm 0,1$	$\pm 0,2$	$\pm 0,3$	$\pm 0,5$	$\pm 0,8$	$\pm 1,2$
Angle	to 10°	over 10° to 50°	over 50° to 120°	over 120° to 400°	over 400°	Edges DIN ISO 13715	
Tolerances	$\pm 1^\circ$	$\pm 0^\circ 30'$	$\pm 0^\circ 20'$	$\pm 0^\circ 10'$	$\pm 0^\circ 5'$	$\pm 0,3$	$\pm 0,1$

General Surfaces (DIN ISO 1302) (unless otherwise specified on drawing)	
$\sqrt{Rz6,3}$	for fit holes and slots
$\sqrt{Rz25}$	for clearance holes and slots

MATERIAL / WERKSTOFF 3.3547 AlMg4,5Mn		FINISH / OBERFLÄCHENBEHANDLUNG ANODIZE COLORLESS 10 ±5 µm		HEAT TREAT / WARMEBEHANDLUNG NONE	
DRAWN / GEZ: Norbert Kadlecik APPRV. / GEPR. Norbert Kadlecik 19/06/2026		AUTOMATION TOOLING SYSTEMS			
-ALL MACHINED SURFACES TO BE Rz 16 OR BETTER -DO NOT SCALE DRAWING -EDGES DIN ISO 13715 -THREAD DEPTH REPRESENTS MINIMUM REQUIRED FULL THREAD DEPTH DRAWING SHOWS FINAL DIMENSIONS -BEARBEITETE FLÄCHEN Rz 16 -DIESE ZEICHNUNG IST EIN UNABSTÄBLICHER AUSDRUCK -WERKSTÜCKKANTEN DIN ISO 13715 -ZEICHNUNG ZEIGT ENDMASSE		DESCRIPTION / BENENNUNG: HOLDER 2			
GENERAL TOLERANCES ACCORDING TO DIN ISO 2768 mK ALLGEMEINTOLERANZEN NACH DIN ISO 2768 mK 		LENGTH \ LÄNGENMAßE 0.5 - 3 ± 0.10 3 - 6 ± 0.10 6 - 30 ± 0.20 30 - 120 ± 0.30 120 - 400 ± 0.50 400 - 1000 ± 0.80 1000 - 2000 ± 1.20 2000 - 4000 ± 2.00		ITEM NUMBER / ZEICHNUNGSNUMMER: 700893541	
		REVISION AA - 00 - 000			
A3		 1ST ANGLE PROJECTION		SCALE MAßSTAB 1:1	SHEET BLATT 1 OF 2
ALL TOLERANCES ACCORDING TO ISO 8015 ALLE TOLERANZEN NACH ISO 8015					



VÝROBA - 700893541-AA-00.000-AP728508478

Obj: AT100926 Počet kusov: 1 ks DielID: 824

Cenová ponuka: Dopyt pcba 2.1



1. Rezanie (akosť 3.3547 / AlMg4,5Mn, 45x90x95)

pozn: 1,04 kg

2. Frézovanie

3. Zámočník

4. Elox prírodný